



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/692,412	10/20/2000	David F. Bush	04983.0206.CPUS01/38-21(1	6988

28381 7590 04/24/2002

ARNOLD & PORTER
IP DOCKETING DEPARTMENT; RM 1126(b)
555 12TH STREET, N.W.
WASHINGTON, DC 20004-1206

EXAMINER

EINSMANN, JULIET CAROLINE

ART UNIT	PAPER NUMBER
----------	--------------

1634

DATE MAILED: 04/24/2002

12

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/692,412

Applicant(s)

BUSH ET AL.

Examiner

Juliet Einsmann

Art Unit

1634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 November 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7,10-12,15-17 and 27-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7,10-12,15-17 and 27-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4,8.
- 4) ☒ Interview Summary (PTO-413) Paper No(s) 11.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 1634

DETAILED ACTION

1. The examiner examining this application has changed. Further, the art unit where this application is being examined has changed. In order to aid matching any future papers with this application, please note that the examiner is Juliet Einsmann and the proper art unit is 1634.

Election/Restrictions

2. The restriction requirement mailed 12/24/01 is hereby WITHDRAWN. Claims 1-7, 10-12, 15-17, and 27-35 are pending and are examined herein. Applicant's preliminary amendment filed 11/16/01 cancelled any claims that were previously restricted away from the instantly pending claims. Thus, the previous telephonic restriction, and applicant's objections thereto are moot (see page 7 of the paper filed 11/16/01).

Specification

3. The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 1634

5. Claims 4, 6, 17, 29, 30, 31, 33, and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cho *et al.* (Nature Genetics, 1999, 23:203-207) in view of Lai *et al.* (Genomics, 54:31-38, 1998).

Cho *et al.* teach a method of identifying a region of genomic DNA associated with a phenotypic trait of interest comprising:

(A) screening a mapping population of Arabidopsis plants to determine the linkage of said phenotypic trait with a collection of nucleic acid molecules, wherein said nucleic acid molecules are capable of detecting a set of polymorphisms, where the polymorphisms are distributed throughout the genome of said mapping population of Arabidopsis;

(B) calculating the linkage of each of said polymorphisms to said phenotypic trait; and

(C) identifying said genomic DNA region associated with said phenotypic trait based on its linkage to one or more of said nucleic acid molecules (p. 205, third column).

The set of polymorphisms screened by Cho *et al.* included the polymorphism instantly disclosed as Single Nucleotide Polymorphism 466799 (confirmed in Applicant's remarks filed 11/16/01, page 8). The region of genomic DNA associated with said phenotypic trait is located within 7cM region between two single nucleotide polymorphisms (SNP), thus it is about 5cM from at least one of the polymorphisms.

Cho *et al.* suggest the generation of denser SNP maps for Arabidopsis (p. 205), but Cho *et al.* do not teach a method wherein the polymorphisms are distributed throughout the genome of Arabidopsis plants at an average density of more than one polymorphism per about 100 kb.

Art Unit: 1634

Lai *et al.* teach a high density SNP map of a portion of the human genome, wherein the map has a density of one SNP every 30 kb, and teach that such a map was generated “efficiently and rapidly” using existing methodologies (p. 34).

Thus, it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have used the methods taught by Lai *et al.* in order to produce a denser SNP map for use in the identification of a region of genomic DNA associated with a phenotypic trait of interest as taught by Cho *et al.* The ordinary practitioner would have been motivated to provide such a method by the suggestion of Cho *et al.* that “The generation of denser biallelic maps should allow high-throughput identification of both monogenic and polygenic traits, effectively removing the rate-limiting nature of high resolution mapping from the study of biological processes (p. 205).” The ordinary practitioner would have been further motivated by the teachings of Lai *et al.* that the generation of SNP-based maps can be accomplished “efficiently and rapidly” using existing methodologies.

6. Claims 1-3, 5, 10-12, 15-16, 27, and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cho *et al.* in view of Lai *et al.* as applied to claims 4, 6, 17, 29, 30, 31, 33, and 34 above, and further in view of Davis *et al.* (PNAS, Vol. 96, pp. 6541-6546, May 1999).

The teachings of Cho *et al.* in view of Lai *et al.* are applied to these claims as discussed in the previous rejections.

While the methods taught by Cho *et al.* and Lai *et al.* are both directed towards use in positional cloning, Cho *et al.* in view of Lai *et al.* do not teach a method in which the region of genomic DNA is isolated. Steps (A)-(D) are inherent properties of the generation of an F2

Art Unit: 1634

generation of plants as taught by Cho *et al.* Cho *et al.* generate the F2 generation from two different ecotypes of Arabidopsis wherein one ecotype has a phenotype of interest and the other ecotype lacks the phenotype of interest (p. 205).

Davis *et al.* teach methods in which positional cloning is used to localize and isolate a region of genomic DNA associated with a phenotype of interest (p. 6542).

It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to have included a step in which the methods of Cho *et al.* in view of Lai *et al.* are used to isolate the region of genomic DNA that is associated with the phenotype. The ordinary practitioner would have been motivated to isolate the region of genomic DNA the isolation of genomic DNA of interest aids in the elucidation of the biochemical pathways that lead to a particular phenotype. For example, Davis *et al.* teach that the availability of genes in the pathway they are examining "should be instrumental in defining the synthetic defects" mutant plants (p. 6546).

7. Claims 1-7, 10-12, 15-17, and 27-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cho *et al.* (Nature Genetics, 1999, 23:203-207) in view of Somerville (posted to bionet.genome.arabidopsis USENET newsgroup (May 2000)).

Cho *et al.* teach a method of identifying a region of genomic DNA associated with a phenotypic trait of interest comprising:

(A) screening a mapping population of Arabidopsis plants to determine the linkage of said phenotypic trait with a collection of nucleic acid molecules, wherein said nucleic acid

Art Unit: 1634

molecules are capable of detecting a set of polymorphisms, where the polymorphisms are distributed throughout the genome of said mapping population of Arabidopsis;

(B) calculating the linkage of each of said polymorphisms to said phenotypic trait; and

(C) identifying said genomic DNA region associated with said phenotypic trait based on its linkage to one or more of said nucleic acid molecules (p. 205, third column).

The set of polymorphisms screened by Cho *et al.* included the polymorphism instantly disclosed as Single Nucleotide Polymorphism 466799 (confirmed in Applicant's remarks filed 11/16/01, page 8). The region of genomic DNA associated with said phenotypic trait is located within 7cM region between two single nucleotide polymorphisms (SNP), thus it is about 5cM from at least one of the polymorphisms. Steps (A)-(D) are inherent properties of the generation of an F2 generation of plants as taught by Cho *et al.* Cho *et al.* generate the F2 generation from two different ecotypes of Arabidopsis wherein one ecotype has a phenotype of interest and the other ecotype lacks the phenotype of interest (p. 205).

Cho *et al.* suggest the generation of denser SNP maps for Arabidopsis (p. 205), but Cho *et al.* do not teach a method wherein the polymorphisms are distributed throughout the genome of Arabidopsis plants at an average density of more than one polymorphism per about 100 kb.

Somerville discloses the availability of a dataset that represents more than 35,000 polymorphisms in the Arabidopsis genome, and provides instructions as to how to access the database for use in "the isolation of genes in map based cloning, among other things." Single Nucleotide Polymorphism 471736 is presumed to be a member of this large set of polymorphisms.

Thus, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to have used the denser SNP map taught by Somerville in the identification of a region of genomic DNA associated with a phenotypic trait of interest as taught by Cho *et al.* The ordinary practitioner would have been motivated to provide such a method by the suggestion of Cho *et al.* that "The generation of denser biallelic maps should allow high-throughput identification of both monogenic and polygenic traits, effectively removing the rate-limiting nature of high resolution mapping from the study of biological processes (p. 205)," and Somerville provides such a method. The ordinary practitioner would have been further motivated by the teachings of Somerville that "This is an incredible resource – no other organism has such a rich collection of polymorphisms. Obviously, this will greatly facilitate the isolation of genes by map based cloning."

Conclusion

8. No claims are allowed.

Application/Control Number: 09/692,412

Page 8

Art Unit: 1634


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juliet C. Einsmann whose telephone number is (703) 306-5824. The examiner can normally be reached on Monday through Friday, from 9:00 AM until 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, W. Gary Jones can be reached on (703) 308-1152. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-4242 and (703) 305-3014.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0196.



JEFFREY FREDMAN
PRIMARY EXAMINER



Juliet C. Einsmann
Examiner
Art Unit 1634

April 19, 2002